


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "(((latency &lt;and&gt; (quality &lt;or&gt; percept\*)&lt;and&gt; compression)&lt;in&gt;metadata)) &lt;and&gt; (p

☒ e-mail

Your search matched 22 of 1174497 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)
[» New Search](#)
[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- ☐ 1. **Asynchronous video coding for wireless transport**  
 Messerschmidt, D.G.; Reason, J.M.; Lao, A.Y.;  
 Mobile Computing Systems and Applications, 1994. Proceedings., Workshop on  
 8-9 Dec. 1994 Page(s):138 - 145  
[AbstractPlus](#) | Full Text: [PDF](#)(740 KB) IEEE CNF
- ☐ 2. **A software-only videocodec using pixelwise conditional differential replenishment and perceptual enhancements**  
 Yi-Jen Chin; Berger, T.;  
 Circuits and Systems for Video Technology, IEEE Transactions on  
 Volume 9, Issue 3, April 1999 Page(s):438 - 450  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(280 KB) IEEE JNL
- ☐ 3. **Application-level differentiated multimedia Web services using quality aware traversal**  
 Chandra, S.; Ellis, C.S.; Vahdat, A.;  
 Selected Areas in Communications, IEEE Journal on  
 Volume 18, Issue 12, Dec. 2000 Page(s):2544 - 2565  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(436 KB) IEEE JNL
- ☐ 4. **Scalable compression based on tree structured vector quantization of perceptual blocks, lapped, and wavelet transforms**  
 Chaddha, N.; Chou, P.A.; Meng, T.H.Y.;  
 Image Processing, 1995. Proceedings., International Conference on  
 Volume 3, 23-26 Oct. 1995 Page(s):89 - 92 vol.3  
[AbstractPlus](#) | Full Text: [PDF](#)(648 KB) IEEE CNF
- ☐ 5. **Adaptive image compression for wireless multimedia communication**  
 Taylor, C.N.; Dey, S.;  
 Communications, 2001. ICC 2001. IEEE International Conference on  
 Volume 6, 11-14 June 2001 Page(s):1925 - 1929 vol.6  
[AbstractPlus](#) | Full Text: [PDF](#)(656 KB) IEEE CNF
- ☐ 6. **Face focus coding under H.263+ video coding standard**  
 Adiono, T.; Isshiki, T.; Ito, K.; Ohtsuka, T.; Dongju Li; Honsawek, C.; Kunieda, H.;  
 Circuits and Systems, 2000. IEEE APCCAS 2000. The 2000 IEEE Asia-Pacific Conference  
 4-6 Dec. 2000 Page(s):461 - 464  
[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEEE CNF

- ☐ **7. A low-complexity frame memory compression algorithm and its implementation in video decoder**  
Tae Young Lee; Yong Sik Kim; Sungjae Jang; Hoon Yoo; Jechang Jeong;  
ASICs, 2000. AP-ASIC 2000. Proceedings of the Second IEEE Asia Pacific Conference, 28-30 Aug. 2000 Page(s):103 - 106  
[AbstractPlus](#) | Full Text: [PDF\(340 KB\)](#) IEEE CNF
  
- ☐ **8. Multimedia streams and quality of service in the next generation wireless home network**  
Gubbi, R.;  
Mobile Multimedia Communications, 1999. (MoMuC '99) 1999 IEEE International Workshop, 15-17 Nov. 1999 Page(s):232 - 235  
[AbstractPlus](#) | Full Text: [PDF\(352 KB\)](#) IEEE CNF
  
- ☐ **9. A new algorithm and its implementation for frame recompression**  
Tae Young Lee;  
Consumer Electronics, IEEE Transactions on  
Volume 47, Issue 4, Nov. 2001 Page(s):849 - 854  
[AbstractPlus](#) | Full Text: [PDF\(471 KB\)](#) IEEE JNL
  
- ☐ **10. Video compression using fax techniques**  
Yi-Jen Chiu; Berger, T.;  
Data Compression Conference, 1996. DCC '96. Proceedings  
31 March-3 April 1996 Page(s):429  
[AbstractPlus](#) | Full Text: [PDF\(48 KB\)](#) IEEE CNF
  
- ☐ **11. Real-time H.263+ frame rate control for low bit rate VBR video**  
Hwangjun Song; Jongwon Kim; Jay Kuo, C.-C.;  
Circuits and Systems, 1999. ISCAS '99. Proceedings of the 1999 IEEE International Symposium on, 30 May-2 June 1999 Page(s):307 - 310 vol.4  
[AbstractPlus](#) | Full Text: [PDF\(356 KB\)](#) IEEE CNF
  
- ☐ **12. Periodic broadcasting with VBR-encoded video**  
Saparilla, D.; Ross, K.W.; Reisslein, M.;  
INFOCOM '99. Eighteenth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE  
Volume 2, 21-25 March 1999 Page(s):464 - 471 vol.2  
[AbstractPlus](#) | Full Text: [PDF\(840 KB\)](#) IEEE CNF
  
- ☐ **13. A protocol for lossy transmission of digital video**  
Oberoi, S.;  
High Performance Computing, 1996. Proceedings. 3rd International Conference on, 19-22 Dec. 1996 Page(s):277 - 282  
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE CNF
  
- ☐ **14. A video smoothing algorithm for transmitting MPEG video over limited bandwidth**  
Ng, J.K.-Y.; Shubin Song;  
Proceedings - Fourth International Workshop on Real-Time Computing Systems and Applications, 27-29 Oct. 1997 Page(s):229 - 236  
[AbstractPlus](#) | Full Text: [PDF\(588 KB\)](#) IEEE CNF
  
- ☐ **15. A sliding window approach to real-time H.263+ frame rate adjustment**  
Hwangjun Song; Jongwon Kim; Jay Kuo, C.-C.;  
Signals, Systems & Computers, 1998. Conference Record of the Thirty-Second Asilomar Conference on, 1-4 Nov. 1998 Page(s):858 - 862 vol.1  
[AbstractPlus](#) | Full Text: [PDF\(432 KB\)](#) IEEE CNF

- ☐ **16. Adaptive proxy-based content transformation framework for the World-Wide Web**  
Chi Chi Hung; Lim Yan hong;  
High Performance Computing in the Asia-Pacific Region, 2000. Proceedings. The Four  
Conference/Exhibition on  
Volume 2, 14-17 May 2000 Page(s):747 - 750 vol.2  
[AbstractPlus](#) | Full Text: [PDF](#)(324 KB) IEEE CNF
- ☐ **17. Impact of recent compression/decompression technologies in video distribution**  
Helgeson, M.A.; Tanji, T.M.; Kilgore, G.A.;  
Digital Avionics Systems Conference, 1992. Proceedings., IEEE/AIAA 11th  
5-8 Oct. 1992 Page(s):568 - 572  
[AbstractPlus](#) | Full Text: [PDF](#)(404 KB) IEEE CNF
- ☐ **18. Bit rate control of internetworking video transcoders**  
Assuncao, P.A.A.; Ghanbari, M.;  
Electronics, Circuits and Systems, 1998 IEEE International Conference on  
Volume 2, 7-10 Sept. 1998 Page(s):247 - 250 vol.2  
[AbstractPlus](#) | Full Text: [PDF](#)(328 KB) IEEE CNF
- ☐ **19. Temporal scalability using P-pictures for low-latency applications**  
Wenger, S.;  
Multimedia Signal Processing, 1998 IEEE Second Workshop on  
7-9 Dec. 1998 Page(s):559 - 564  
[AbstractPlus](#) | Full Text: [PDF](#)(320 KB) IEEE CNF
- ☐ **20. Isochronous services in home multimedia networks**  
Gubbi, R.;  
Communications, Computers and Signal Processing, 1999 IEEE Pacific Rim Conference  
22-24 Aug. 1999 Page(s):534 - 539  
[AbstractPlus](#) | Full Text: [PDF](#)(516 KB) IEEE CNF
- ☐ **21. Bandwidth sensitive content transformation in pervasive computing**  
Chi Chi Hung; Lim Yan Hong;  
Computers and Communications, 2000. Proceedings. ISCC 2000. Fifth IEEE Symposium  
3-6 July 2000 Page(s):14 - 19  
[AbstractPlus](#) | Full Text: [PDF](#)(484 KB) IEEE CNF
- ☐ **22. Error control for video multicast using hierarchical FEC**  
Wai-Tian Tan; Zakhor, A.;  
Image Processing, 1999. ICIP 99. Proceedings. 1999 International Conference on  
Volume 1, 1999 Page(s):401 - 405 vol.1  
[AbstractPlus](#) | Full Text: [PDF](#)(540 KB) IEEE CNF



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	(bit adj1 rate) with (percept\$4 or quality or degradation) with latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 10:26
L2	3	compression adj1 (ratio or factor) with (percept\$4 or quality or degradation) with latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 10:47
L3	2	transmi\$6 near2 amount with (percept\$4 or quality or degradation) with latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:01
L4	15	transmi\$6 near2 amount same (percept\$4 or quality or degradation) same latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 10:51
L5	24	compression adj1 (ratio or factor) with (percept\$4 or quality or degradation) with delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 10:47
L6	4	transmi\$6 near2 content same (percept\$4 or quality or degradation) same latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 10:54
L7	33	transmi\$6 near2 content same (percept\$4 or quality or degradation) same delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 10:59
L9	2810	congestion with transmi\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:00

L10	35103	(select\$4 or chos\$4) near3 (compression or coing or encoding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:10
L11	48	9 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:00
L12	23586	(percept\$4 or quality or degradation or resolution) with (latency or delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:17
L13	9	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:01
L14	207637	(percept\$4 or quality or degradation or resolution) and (latency or delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:05
L15	32	11 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:05
L16	540	9 and (compression or coing or encoding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:18
L17	117	12 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:10

L18	1501	(percept\$4 or quality or degradation or resolution) near2 image with (latency or delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:18
L19	5	16 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:18
L20	23921	(percept\$4 or quality or degradation or resolution) near2 image and (latency or delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:18
L21	40	16 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 11:18
L22	3	("5600646"   "5844600"   "6011590").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 11:57
L23	76	9 same (bit adj1 (rate or amount) or compression adj1 (factor or ratio))	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 12:04
L24	8	23 same (resolution or quality)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 12:04